

Product Information:

TERRALUS AIR-PRO 68

SYNTHETIC BIODEGRADABLE AIR COMPRESSOR OIL



Description

Terralus Air-Pro 68 is an ester based, fully biodegradable compressor lubricant designed specifically to meet the requirements of rotary screw compressors used in environmentally sensitive locations. The product is also formulated with the latest additive technology that provides performance levels that are superior to mineral oil based fluids.



It is designed for use under arduous conditions and in high temperature applications. Its naturally high film strength helps prevent metal to metal contact under severe load operation.

Features

- Biodegradable
- Outstanding thermal stability
- Extended oil drain capability
- Controls foaming and promotes air release
- Provides a strong oil film at high temperatures
- Low volatility reduces the need for top-up

Applications

Suitable for use in all rotary screw compressors including variable speed types, static and mobile units that may be used in locations which may be vulnerable to accidental contamination.

Performance Level

DIN 51506
DIN 51352 Part 2

Physical Characteristics

Appearance	Amber Liquid
Relative Density @ 15.6°C	0.910
Kinematic Viscosity @ 40°C (cSt)	67.3
Kinematic Viscosity @ 100°C (cSt)	9.90
Viscosity Index	130
Closed Flash Point (°C)	210
Pour Point (°C)	-45

Figures based on average production values

Part No.s: TAP025

(TDS Terralus AirPro68 – 290316 Issue 2)

